


# PECO Part #997136

MFG:



The Most  
Helpful Brand  
In Car Washing

## TWC2122s/h TOP WASHER WRAP COMBO-FO/TW/RO SS HYD



### Description

The **Top Washer Wrap Combo** is designed for cleaning the top, front, rear, and sides of vehicles. The Structure is 304 Stainless Steel, finished to a #3 finish. **Material sold separately.**

# Specifications

## Hydraulic Requirements

Total System Hydraulic Requirements:	3	Banks	12	GPM
--------------------------------------	---	-------	----	-----

## Tunnel Controller Requirements

Total System Computer Requirements:	6	Outputs	0	Inputs
-------------------------------------	---	---------	---	--------

## Pneumatic Control Requirements

### Total System Pneumatic Control Requirements:

0.23	CFM
0.00	2W1 2-Way Valve
0.00	3W1 3-Way Valve
3.00	4W1 4-Way Valve
0.00	4WM 4-Way Valve Manual

## Water Requirements

### Total System WATER Requirements:

0.00	GPM @ 40psi Reclaim Water
15.00	GPM @ 40psi Fresh Water
0.00	GPM Soft Water
0.00	GPM Hot Water
0.00	GPM RO Water
0.00	GPM @ 850psi Reclaim Water
0.00	GPM @ 850psi High Pressure Water

## Water Controls Requirements

### Total System Water Control Requirements:

1	Solution Induction Pump (SIP)
0	1/2" Fresh Water Valve (1/2SOL)
2	3/4" Fresh Water Valve (3/4SOL)
0	1" Fresh Water Valve (1SOL)
0	3/4" Clay Valve (3/4CV)
0	1" Clay Valve (1CV)
0	1 1/2" Clay Valve (1.5CV)
0	1/2" High Pressure Valve (hpSOL)

# TWC2122s STAINLESS STEEL TOP WASHER WRAP COMBO UNIT

## Equipment Specification

### Technical Data: TWC2122s

**Construction:** Stainless Steel Structure

**Tunnel Length:** 29'-8" (9.04m)

**Tunnel Height:** 11'-6" (3.51m)

**Tunnel Width:** 16'-0" (4.87m)

**Vehicle Height Clearance:** 7'-6" (2.28 m)

**Water Output:** 15 gpm @ 40 psi (56.8 lpm @ 0.3 MPa)

**Electrical Requirements:** N/A

**Hydraulic Requirements:** WRAP (2) Banks of:

3 gpm @ 800 psi (11.4 lpm @ 5.5 MPa) Cloth Material

6 gpm @ 800 psi (22.8 lpm @ 5.5 MPa) Foam Material

TOP WASHER (1) Bank of:

6 gpm @ 1100 psi (22.8 lpm @ 7.6 MPa)


**Air Requirements:** 60-80 psi for retract cylinders

**Shipping Weight:** 3800 lbs. (1723 kg)

**Controller Function:** 6 (Wrap1 Retract / Wrap1 Water / Top Washer Retract / Top Washer Water / Wrap2 Retract / Wrap2 Water)

**PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 –  
USA – 1-248-299-5800**

# TWC2122s STAINLESS STEEL TOP WASHER WRAP COMBO UNIT



**PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 – USA – 1-248-299-5800**