PECO Part #600806

MFG:



The Most Helpful Brand In Car Washing

PE806 WHEEL TRACKER SET SS







Description

The PE806 Wheel Tracker Set is designed for superior cleaning coverage of the hubcap wheels. This high-pressure water spray (capable of 1000psi) is directed through 6 rotating zero degree nozzles; three per side. The unit has an independent head assembly, which follows each tire independently as it passes. These heads are activated through one independent air trip treadles. Each head assembly will direct the high pressure oscillating nozzles at three different angles, to insure maximum coverage of the hubcap wheel. Each head assembly will rotate on a stainless steel rod. This unit is constructed with 304 Stainless Steel Structure. This unit offers you long life, strength and attractiveness.

Specifications

Pneumatic Control Requirements

Total System Pneumatic Control Requirements:

0.01 CFM

0.00 2W1 2-Way Valve

0.00 3W1 3-Way Valve

1.00 4W1 4-Way Valve

0.00 4WM 4-Way Valve Manual

Water Requirements

Total System WATER Requirements:

0.00 GPM @ 40psi Reclaim Water

18.00 GPM @ 40psi Fresh Water

0.00 GPM Soft Water

0.00 GPM Hot Water

0.00 GPM RO Water

0.00 GPM @ 850psi Reclaim Water

18.00 GPM @ 850psi High Pressure Water

PE806 WHEEL TRACKER SET

Equipment Specification

Technical Data: PE806

Construction: Stainless Steel Structure

Tunnel Length: 12" (0.30 m)

Tunnel Height: 24" (0.61 m)

Tunnel Width: 13'-6" (4.11 m)

Vehicle Height Clearance: n/a

Water Output: 18 gpm @ 850 psi (68.14 lpm @ 5.86 MPa) Both Manifolds Total

Electrical Requirements: n/a


Hydraulic Requirements: n/a

Air Requirements: 0.5 cfm @ 50 psi (14.1 lpm @ 0.34 MPa)

Shipping Weight: 100 lbs. (46 kg)

Controller Function: 2 (Pump On / Flip)

PE806 WHEEL TRACKER SET



PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 – USA – 1-248-299-5800