
PECO Part #990255




The Most Helpful Brand In Car Washing

MFG:

RET PE140s HIGH PRESSURE SIDE FOLLOWER SS





Description

The PE140 High Pressure Side Follower is designed for superior cleaning coverage on the side of vehicles. This high-pressure water spray (capable of 1200psi) maintains a constant 14" distance from the nozzle to the vehicle surface. This constant distance cleans all vertical areas of the side of the vehicle. This unit features two types of side manifolds; one being a car height manifold which can flip 30 degrees from front to rear for extra cleaning capabilities; two being a van height manifold which comes on only for trucks and vans. This unit is constructed with 304 Stainless Steel Structure. This unit offers you long life, strength and attractiveness.

Specifications

Pneumatic Control Requirements

Total System Pneumatic Control Requirements:

0.02 CFM

0.00 2W1 2-Way Valve

0.00 3W1 3-Way Valve

2.00 4W1 4-Way Valve

0.00 4WM 4-Way Valve Manual

Water Requirements

Total System WATER Requirements:

0.00 GPM @ 40psi Reclaim Water

36.00 GPM @ 40psi Fresh Water

0.00 GPM Soft Water

0.00 GPM Hot Water

0.00 GPM RO Water

0.00 GPM @ 850psi Reclaim Water

36.00 GPM @ 850psi High Pressure Water

PE140 HIGH PRESSURE SIDE FOLLOWER

Equipment Specification

Technical Data: PE140

Construction: Stainless Steel Structure / Aluminum Manifolds

Tunnel Length: 13'-0" (3.96 m)

Tunnel Height: 8'-0" (2.43 m)

Tunnel Width: 12'-3" (3.73 m)

Vehicle Height Clearance: n/a

Water Output: 34 gpm @ 1000 psi (128.7 lpm @ 6.9 MPa)

Electrical Requirements: n/a


Hydraulic Requirements: n/a

Air Requirements: 0.2 cfm @ 50 psi (5.6 lpm @ 0.34 MPa)

Shipping Weight: 400 lbs. (182 kg)

Controller Function: 3 (Pump On / Manifold Flip / Retract)

PE140 HIGH PRESSURE SIDE FOLLOWER



PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 – USA – 1-248-299-5800