




PECO Part #990906

MFG:



The Most
Helpful Brand
In Car Washing

RET PE905/140M PE905-MANIFOLD P/S MOUNT ON PE140 OPTION



Description

This Bracket attaches the passenger side PE905 Manifold to the PE140 guide arm. This insures a constant distance from the side of the vehicle.

Specifications

PE140 HIGH PRESSURE SIDE FOLLOWER

Equipment Specification

Technical Data: PE140

Construction: Stainless Steel Structure / Aluminum Manifolds

Tunnel Length: 13'-0" (3.96 m)

Tunnel Height: 8'-0" (2.43 m)

Tunnel Width: 12'-3" (3.73 m)

Vehicle Height Clearance: n/a

Water Output: 34 gpm @ 1000 psi (128.7 lpm @ 6.9 MPa)

Electrical Requirements: n/a

Hydraulic Requirements: n/a


Air Requirements: 0.2 cfm @ 50 psi (5.6 lpm @ 0.34 MPa)

Shipping Weight: 400 lbs. (182 kg)

Controller Function: 3 (Pump On / Manifold Flip / Retract)

**PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 –
USA – 1-248-299-5800**

PE140 HIGH PRESSURE SIDE FOLLOWER



**PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 –
USA – 1-248-299-5800**

PE905 HIGH PRESSURE FLIPPING ARCH

Equipment Specification

Technical Data: PE905

Construction: Stainless Steel Structure / Stainless Steel Manifolds

Tunnel Length: 36" (0.91 m)

Tunnel Height: 9'-3" (2.81 m)

Tunnel Width: 13'-6" (4.11 m)

Vehicle Height Clearance: n/a

Water Output: 36 gpm @ 1000 psi (136.3 lpm @ 6.9 MPa)

Electrical Requirements: n/a

Hydraulic Requirements: 3 gpm @ 500 psi (11.4 lpm @ 3.5 MPa)


Air Requirements: 0.2 cfm @ 50 psi (5.6 lpm @ 0.34 MPa)

Shipping Weight: 300 lbs. (137 kg)

Controller Function: 2 (Pump On / Flip Manifold)

**PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 –
USA – 1-248-299-5800**

PE905 HIGH PRESSURE FLIPPING ARCH



**PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 –
USA – 1-248-299-5800**