PECO Part #990699



The Most Helpful Brand In Car Washing

MFG:

DNFK DRYER NOZZLE FLIP KIT





Description

This nozzle was designed to flip the air flow from front to rear covering the vehicle as it passes. Attaches to any PECO Dryer Producer.

Specifications

Pneumatic	Control	Requirements
i ne amatic	00111101	Requirements

Total System Pneumatic Control Requirements:

0.01 CFM

0.00 2W1 2-Way Valve

0.00 3W1 3-Way Valve

1.00 4W1 4-Way Valve

0.00 4WM 4-Way Valve Manual

DRYER NOZZLE FLIP KIT

Equipment Specification

Technical Data: DNFK

Construction: Stainless Steel

Length: 12" (.30 m)

Height: 12" (.30 m)

Width: 12" (.30 m)

Vehicle Height Clearance: varies

Water flow: n/a

Water Delivery: n/a

Electrical Requirements: n/a

Hydraulic Requirements: n/a

Air Requirements: 1/2" Line @ 40 psi (0.3 Mpa)


Shipping Weight: 25 lbs. (12 kg)

Controller Function: 1 (Nozzle Flip)

PECO Corporation – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 – USA – 1-248-299-5800

03/18/08 M:\Engineering Doc's\WEB EQUIPMENT SPEC FILES\DRYERS\990699 DNFK EQSPEC.doc Page 1 of 2

DRYER NOZZLE FLIP KIT



PECO Corporation – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 – USA – 1-248-299-5800

03/18/08 M:\Engineering Doc's\WEB EQUIPMENT SPEC FILES\DRYERS\990699 DNFK EQSPEC.doc Page 2 of 2