
# PECO Part #028102


**PECO**CARWASH SYSTEMS

The Most Helpful Brand In Car Washing

MFG:

# WM4 WATER CONTROL MANIFOLD LOW PRESSURE 6-3/4PORT W/SOLENOID







### Description

This water manifold is use to mount water solenoids to reduce amount of work required in the field. Complete with 4- 1/2" water solenoids and mounting bracket. It has 6 1/2" NPT ports and can accept two more water valve if necessary.

### Specifications

#### Electrical Single Phase Requirements

Total System Electrical Single Phase Requirements:

2.5AMPs @ 24vac

0AMPs @ 120vac

0AMPs @ 220vac

#### **Equipment Specification**

**Technical Data: WM4** 

Construction: Stainless Steel Frame / Aluminum Manifold

**Length:** 28" (0.71 m)

Height: 6" (0.15 m)

Width: 12" (0.30 m)

Vehicle Height Clearance: n/a

Water Output: Depend on pressure

Water Input: 1½" Female NPT Port (city water pressure or reclaim pump)


Electrical Requirements: 24 or 120 VAC (.625 amps / .125 amps) each solenoid

Hydraulic Requirements: n/a

Air Requirements: n/a

Shipping Weight: 25 lbs. (55 kg)

Controller Functions: 1 to 4



#### **Equipment Specification**

**Technical Data: WM4** 

Construction: Stainless Steel Frame / Aluminum Manifold

**Length:** 28" (0.71 m)

Height: 6" (0.15 m)

Width: 12" (0.30 m)

Vehicle Height Clearance: n/a

Water Output: Depend on pressure

Water Input: 1½" Female NPT Port (city water pressure or reclaim pump)

Electrical Requirements: 24 or 120 VAC (.625 amps / .125 amps) each solenoid

Hydraulic Requirements: n/a

Air Requirements: n/a

Shipping Weight: 25 lbs. (55 kg)

Controller Functions: 1 to 4

