


# PECO Part #990028b

MFG:PECO  
MFG#:PE030B



The Most  
Helpful Brand  
In Car Washing

## PE030b LOW PRESSURE/VOLUME PUMP STATION PNEUMATIC 5gpm 120V



### Description

The PE030 Low Pressure/Volume Pumping Station Pneumatic is designed to deliver 5 gpm @ 100 psi . This pump features a Santoprene diaphragm design which is capable of pumping mixed solution with fresh water to a piece of equipment. Unit comes standard with a 1/4" air solenoid with air filter. Typical uses are tire applicators, soap foamers, presoaks and drying agents. This unit requires compressed air to be powered.

# Specifications

## Electrical Single Phase Requirements

### Total System Electrical Single Phase Requirements:

0AMPs @ 24vac

0.08AMPs @ 120vac

0AMPs @ 220vac

# PE030 Low Volume Pumping Station Pneumatic

## Equipment Specification

### Technical Data: PE030

**Construction:** Stainless Steel Frame

**Length:** 21.0" (0.53 m)

**Height:** 36.88" (0.94 m)

**Width:** 9.44" (0.24 m)

**Vehicle Height Clearance:** n/a

**Water Input:** 1/2" Line at 40 psi (0.3 Mpa)

**Water Output:** 5 gpm @ 100 psi (18.9 lpm @ 0.68 MPa)

**Electrical Requirements:** 24/120 VAC (.42 amp / .09 amp)

**Hydraulic Requirements:** n/a


**Air Requirements:** 1/2" Line at 40 psi (0.3 Mpa)

**Shipping Weight:** 23 lbs. (11 kg)

**Controller Function:** 1 (Pump On)

**PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 –  
USA – 1-248-299-5800**

# PE030 Low Volume Pumping Station Pneumatic



**PECO Car Wash Systems – 244 Rex Boulevard – Auburn Hills – Michigan – 48326 – USA – 1-248-299-5800**