
# PECO Part #990074



The Most Helpful Brand In Car Washing

MFG:

# RET CP4 CAT HIGH PRESSURE PUMP STATION (4GPM @ 1500PSI)



## Description

The *CP4 Cat High Pressure Pumping Station* is designed to deliver 4 gpm @ 1500 psi (15.1 lpm @ 10.4 MPa). This pump is only capable of pumping fresh water. Typical uses are prep stations. This unit uses a Cat 5CP Plunger Pump and is belt-driven by a 5 H.P. electrical motor.

# Specifications

Electrical Three Phase Requirements			
3.73	Kilowatts Usage	1 Starters including Overloads	
	15	.04Total AMPs = 208vac @ 60Hz	8.23Total AMPs = 380vac @ 50Hz
	13	.60Total AMPs = 230vac @ 60Hz	7.82Total AMPs = 400vac @ 50Hz
	6	.80Total AMPs = 460vac @ 60Hz	7.54Total AMPs = 415vac @ 50Hz
	5	.44Total AMPs = 575vac @ 60Hz	_

### **CP4 Cat High Pressure Pumping Station**

#### **Equipment Specification**

**Technical Data: CP4** 

Construction: Hot Dipped Galvanized Steel Structure

**Length:** 49.81" (1.27 m)

Height: 40.29" (1.02 m)

Width: 33.81" (0.86 m)

Vehicle Height Clearance: n/a

Water Input: 1" Line at 40 psi (0.3 Mpa)

Water Output: 4 gpm @ 1500 psi (15.1 lpm @ 10.4 Mpa)

**Electrical Requirements:** 5 HP 3-phase 208-230/460 VAC (14.4-13.6/6.8 amps)

(3.73 kW)

Hydraulic Requirements: n/a

Air Requirements: n/a

Shipping Weight: 550 lbs. (250 kg)

Controller Function: n/a

### **CP4 Cat High Pressure Pumping Station**

